



AS568A Dash No. O-Ring Sizing Chart

O-rings provide a reliable seal in static and dynamic applications. They're used for sealing cylinders, valves, faucets, flanges, compressors, engines, and straight thread tube fittings.

AS568A Dash No.	Fractional Size, ID×OD	Actual Size, ID×OD
Width: 1/32" Fractional (0.040" Actual)		
001	1/32" × 3/32"	0.029" × 0.109"
001 1/2	1/16" × 1/8"	0.070" × 0.150"
Width: 3/64" Fractional (0.050" Actual)		
002	3/64" × 9/64"	0.042" × 0.142"
Width: 1/16" Fractional (0.060" Actual)		
003	1/16" × 3/16"	0.056" × 0.176"
Width: 1/16" Fractional (0.070" Actual)		
004	5/64" × 13/64"	0.070" × 0.210"
005	7/64" × 15/64"	0.101" × 0.241"
006	1/8" × 1/4"	0.114" × 0.254"
007	5/32" × 9/32"	0.145" × 0.285"
008	3/16" × 5/16"	0.176" × 0.316"
009	7/32" × 11/32"	0.208" × 0.348"
010	1/4" × 3/8"	0.239" × 0.379"
011	5/16" × 7/16"	0.301" × 0.441"
012	3/8" × 1/2"	0.364" × 0.504"
013	7/16" × 9/16"	0.426" × 0.566"
014	1/2" × 5/8"	0.489" × 0.629"
015	9/16" × 11/16"	0.551" × 0.691"
016	5/8" × 3/4"	0.614" × 0.754"
017	11/16" × 13/16"	0.676" × 0.816"
018	3/4" × 7/8"	0.739" × 0.879"
019	13/16" × 15/16"	0.801" × 0.941"
020	7/8" × 1"	0.864" × 1.004"
021	15/16" × 1 1/16"	0.926" × 1.066"
022	1" × 1 1/8"	0.989" × 1.129"
023	1 1/16" × 1 3/16"	1.051" × 1.191"
024	1 1/8" × 1 1/4"	1.114" × 1.254"

AS568A Dash No.	Fractional Size, ID×OD	Actual Size, ID×OD
Width: 1/16" Fractional (0.070" Actual) (Cont.)		
025	1 3/16" × 1 5/16"	1.176" × 1.316"
026	1 1/4" × 1 3/8"	1.239" × 1.379"
027	1 5/16" × 1 7/16"	1.301" × 1.441"
028	1 3/8" × 1 1/2"	1.364" × 1.504"
029	1 1/2" × 1 5/8"	1.489" × 1.629"
030	1 5/8" × 1 3/4"	1.614" × 1.754"
031	1 3/4" × 1 7/8"	1.739" × 1.879"
032	1 7/8" × 2"	1.864" × 2.004"
033	2" × 2 1/8"	1.989" × 2.129"
034	2 1/8" × 2 1/4"	2.114" × 2.254"
035	2 1/4" × 2 3/8"	2.239" × 2.379"
036	2 3/8" × 2 1/2"	2.364" × 2.504"
037	2 1/2" × 2 5/8"	2.489" × 2.629"
038	2 5/8" × 2 3/4"	2.614" × 2.754"
039	2 3/4" × 2 7/8"	2.739" × 2.879"
040	2 7/8" × 3"	2.864" × 3.004"
041	3" × 3 1/8"	2.989" × 3.129"
042	3 1/4" × 3 3/8"	3.239" × 3.379"
043	3 1/2" × 3 5/8"	3.489" × 3.629"
044	3 3/4" × 3 7/8"	3.739" × 3.879"
045	4" × 4 1/8"	3.989" × 4.129"
046	4 1/4" × 4 3/8"	4.239" × 4.379"
047	4 1/2" × 4 5/8"	4.489" × 4.629"
048	4 3/4" × 4 7/8"	4.739" × 4.879"
049	5" × 5 1/8"	4.989" × 5.129"
050	5 1/4" × 5 3/8"	5.239" × 5.379"
051	5 1/2" × 5 5/8"	5.489" × 5.629"
052	5 3/4" × 5 7/8"	5.739" × 5.879"

AS568A Dash No.	Fractional Size, ID×OD	Actual Size, ID×OD
Width: 1/16" Fractional (0.070" Actual) (Cont.)		
053	6" × 6 1/8"	5.989" × 6.129"
054	6 1/4" × 6 3/8"	6.239" × 6.379"
055	6 1/2" × 6 5/8"	6.489" × 6.629"
Width: 3/32" Fractional (0.103" Actual)		
102	1/16" × 1/4"	0.049" × 0.255"
103	3/32" × 9/32"	0.081" × 0.287"
104	1/8" × 5/16"	0.112" × 0.318"
105	5/32" × 11/32"	0.143" × 0.349"
106	3/16" × 3/8"	0.174" × 0.380"
107	7/32" × 13/32"	0.206" × 0.412"
108	1/4" × 7/16"	0.237" × 0.443"
109	5/16" × 1/2"	0.299" × 0.505"
110	3/8" × 9/16"	0.362" × 0.568"
111	7/16" × 5/8"	0.424" × 0.630"
112	1/2" × 11/16"	0.487" × 0.693"
113	9/16" × 3/4"	0.549" × 0.755"
114	5/8" × 13/16"	0.612" × 0.818"
115	11/16" × 7/8"	0.674" × 0.880"
116	3/4" × 15/16"	0.737" × 0.943"
117	13/16" × 1"	0.799" × 1.005"
118	7/8" × 1 1/16"	0.862" × 1.068"
119	15/16" × 1 1/8"	0.924" × 1.130"
120	1" × 1 3/16"	0.987" × 1.193"
121	1 1/16" × 1 1/4"	1.049" × 1.255"
122	1 1/8" × 1 5/16"	1.112" × 1.318"
123	1 3/16" × 1 3/8"	1.174" × 1.380"
124	1 1/4" × 1 7/16"	1.237" × 1.443"
125	1 5/16" × 1 1/2"	1.299" × 1.505"

AS568A Dash No. O-Ring Sizing Chart (Cont.)

AS568A Dash No.	Fractional Size, ID×OD	Actual Size, ID×OD
Width: 3/32" Fractional (0.103" Actual) (Cont.)		
126	13/8" × 19/16"	1.362" × 1.568"
127	17/16" × 15/8"	1.424" × 1.630"
128	1 1/2" × 1 11/16"	1.487" × 1.693"
129	1 9/16" × 1 3/4"	1.549" × 1.755"
130	1 5/8" × 1 13/16"	1.612" × 1.818"
131	1 11/16" × 1 7/8"	1.674" × 1.880"
132	1 3/4" × 1 15/16"	1.737" × 1.943"
133	1 13/16" × 2"	1.799" × 2.005"
134	1 7/8" × 2 1/16"	1.862" × 2.068"
135	1 15/16" × 2 1/8"	1.925" × 2.131"
136	2" × 2 3/16"	1.987" × 2.193"
137	2 1/16" × 2 1/4"	2.050" × 2.256"
138	2 1/8" × 2 5/16"	2.112" × 2.318"
139	2 3/16" × 2 3/8"	2.175" × 2.381"
140	2 1/4" × 2 7/16"	2.237" × 2.443"
141	2 5/16" × 2 1/2"	2.300" × 2.506"
142	2 3/8" × 2 9/16"	2.362" × 2.568"
143	2 7/16" × 2 5/8"	2.425" × 2.631"
144	2 1/2" × 2 11/16"	2.487" × 2.693"
145	2 9/16" × 2 3/4"	2.550" × 2.756"
146	2 5/8" × 2 13/16"	2.612" × 2.818"
147	2 11/16" × 2 7/8"	2.675" × 2.881"
148	2 3/4" × 2 15/16"	2.737" × 2.943"
149	2 13/16" × 3"	2.800" × 3.006"
150	2 7/8" × 3 1/16"	2.862" × 3.068"
151	3" × 3 3/16"	2.987" × 3.193"
152	3 1/4" × 3 7/16"	3.237" × 3.443"
153	3 1/2" × 3 11/16"	3.487" × 3.693"
154	3 3/4" × 3 15/16"	3.737" × 3.943"
155	4" × 4 3/16"	3.987" × 4.193"

AS568A Dash No.	Fractional Size, ID×OD	Actual Size, ID×OD
Width: 3/32" Fractional (0.103" Actual) (Cont.)		
156	4 1/4" × 4 7/16"	4.237" × 4.443"
157	4 1/2" × 4 11/16"	4.487" × 4.693"
158	4 3/4" × 4 15/16"	4.737" × 4.943"
159	5" × 5 3/16"	4.987" × 5.193"
160	5 1/4" × 5 7/16"	5.237" × 5.443"
161	5 1/2" × 5 11/16"	5.487" × 5.693"
162	5 3/4" × 5 15/16"	5.737" × 5.943"
163	6" × 6 3/16"	5.987" × 6.193"
164	6 1/4" × 6 7/16"	6.237" × 6.443"
165	6 1/2" × 6 11/16"	6.487" × 6.693"
166	6 3/4" × 6 15/16"	6.737" × 6.943"
167	7" × 7 3/16"	6.987" × 7.193"
168	7 1/4" × 7 7/16"	7.237" × 7.443"
169	7 1/2" × 7 11/16"	7.487" × 7.693"
170	7 3/4" × 7 15/16"	7.737" × 7.943"
171	8" × 8 3/16"	7.987" × 8.193"
172	8 1/4" × 8 7/16"	8.237" × 8.443"
173	8 1/2" × 8 11/16"	8.487" × 8.693"
174	8 3/4" × 8 15/16"	8.737" × 8.943"
175	9" × 9 3/16"	8.987" × 9.193"
176	9 1/4" × 9 7/16"	9.237" × 9.443"
177	9 1/2" × 9 11/16"	9.487" × 9.693"
178	9 3/4" × 9 15/16"	9.737" × 9.943"
Width: 1/8" Fractional (0.139" Actual)		
201	3 1/16" × 7/16"	0.171" × 0.449"
202	1/4" × 1/2"	0.234" × 0.512"
203	5/16" × 9/16"	0.296" × 0.574"
204	3/8" × 5/8"	0.359" × 0.637"
205	7/16" × 11/16"	0.421" × 0.699"
206	1/2" × 3/4"	0.484" × 0.762"

AS568A Dash No.	Fractional Size, ID×OD	Actual Size, ID×OD
Width: 1/8" Fractional (0.139" Actual) (Cont.)		
207	9/16" × 13/16"	0.546" × 0.824"
208	5/8" × 7/8"	0.609" × 0.887"
209	1 1/16" × 1 5/16"	0.671" × 0.949"
210	3/4" × 1"	0.734" × 1.012"
211	13/16" × 1 1/16"	0.796" × 1.074"
212	7/8" × 1 1/8"	0.859" × 1.137"
213	15/16" × 1 3/16"	0.921" × 1.199"
214	1" × 1 1/4"	0.984" × 1.262"
215	1 1/16" × 1 5/16"	1.046" × 1.324"
216	1 1/8" × 1 3/8"	1.109" × 1.387"
217	1 3/16" × 1 7/16"	1.171" × 1.449"
218	1 1/4" × 1 1/2"	1.234" × 1.512"
219	1 5/16" × 1 9/16"	1.296" × 1.574"
220	1 3/8" × 1 5/8"	1.359" × 1.637"
221	1 7/16" × 1 11/16"	1.421" × 1.699"
222	1 1/2" × 1 3/4"	1.484" × 1.762"
223	1 5/8" × 1 7/8"	1.609" × 1.887"
224	1 3/4" × 2"	1.734" × 2.012"
225	1 7/8" × 2 1/8"	1.859" × 2.137"
226	2" × 2 1/4"	1.984" × 2.262"
227	2 1/8" × 2 3/8"	2.109" × 2.387"
228	2 1/4" × 2 1/2"	2.234" × 2.512"
229	2 3/8" × 2 5/8"	2.359" × 2.637"
230	2 1/2" × 2 3/4"	2.484" × 2.762"
231	2 5/8" × 2 7/8"	2.609" × 2.887"
232	2 3/4" × 3"	2.734" × 3.012"
233	2 7/8" × 3 1/8"	2.859" × 3.137"
234	3" × 3 1/4"	2.984" × 3.262"
235	3 1/8" × 3 3/8"	3.109" × 3.387"
236	3 1/4" × 3 1/2"	3.234" × 3.512"

AS568A Dash No. O-Ring Sizing Chart (Cont.)

AS568A Dash No.	Fractional Size, ID×OD	Actual Size, ID×OD
Width: 1/8" Fractional (0.139" Actual) (Cont.)		
237	3 ³ / ₈ " × 3 ⁵ / ₈ "	3.359" × 3.637"
238	3 ¹ / ₂ " × 3 ³ / ₄ "	3.484" × 3.762"
239	3 ⁵ / ₈ " × 3 ⁷ / ₈ "	3.609" × 3.887"
240	3 ³ / ₄ " × 4"	3.734" × 4.012"
241	3 ⁷ / ₈ " × 4 ¹ / ₈ "	3.859" × 4.137"
242	4" × 4 ¹ / ₄ "	3.984" × 4.262"
243	4 ¹ / ₈ " × 4 ³ / ₈ "	4.109" × 4.387"
244	4 ¹ / ₄ " × 4 ¹ / ₂ "	4.234" × 4.512"
245	4 ³ / ₈ " × 4 ⁵ / ₈ "	4.359" × 4.637"
246	4 ¹ / ₂ " × 4 ³ / ₄ "	4.484" × 4.762"
247	4 ⁵ / ₈ " × 4 ⁷ / ₈ "	4.609" × 4.887"
248	4 ³ / ₄ " × 5"	4.734" × 5.012"
249	4 ⁷ / ₈ " × 5 ¹ / ₈ "	4.859" × 5.137"
250	5" × 5 ¹ / ₄ "	4.984" × 5.262"
251	5 ¹ / ₈ " × 5 ³ / ₈ "	5.109" × 5.387"
252	5 ¹ / ₄ " × 5 ¹ / ₂ "	5.234" × 5.512"
253	5 ³ / ₈ " × 5 ⁵ / ₈ "	5.359" × 5.637"
254	5 ¹ / ₂ " × 5 ³ / ₄ "	5.484" × 5.762"
255	5 ⁵ / ₈ " × 5 ⁷ / ₈ "	5.609" × 5.887"
256	5 ³ / ₄ " × 6"	5.734" × 6.012"
257	5 ⁷ / ₈ " × 6 ¹ / ₈ "	5.859" × 6.137"
258	6" × 6 ¹ / ₄ "	5.984" × 6.262"
259	6 ¹ / ₄ " × 6 ¹ / ₂ "	6.234" × 6.512"
260	6 ¹ / ₂ " × 6 ³ / ₄ "	6.484" × 6.762"
261	6 ³ / ₄ " × 7"	6.734" × 7.012"
262	7" × 7 ¹ / ₄ "	6.984" × 7.262"
263	7 ¹ / ₄ " × 7 ¹ / ₂ "	7.234" × 7.512"
264	7 ¹ / ₂ " × 7 ³ / ₄ "	7.484" × 7.762"
265	7 ³ / ₄ " × 8"	7.734" × 8.012"
266	8" × 8 ¹ / ₄ "	7.984" × 8.262"

AS568A Dash No.	Fractional Size, ID×OD	Actual Size, ID×OD
Width: 1/8" Fractional (0.139" Actual) (Cont.)		
267	8 ¹ / ₄ " × 8 ¹ / ₂ "	8.234" × 8.512"
268	8 ¹ / ₂ " × 8 ³ / ₄ "	8.484" × 8.762"
269	8 ³ / ₄ " × 9"	8.734" × 9.012"
270	9" × 9 ¹ / ₄ "	8.984" × 9.262"
271	9 ¹ / ₄ " × 9 ¹ / ₂ "	9.234" × 9.512"
272	9 ¹ / ₂ " × 9 ³ / ₄ "	9.484" × 9.762"
273	9 ³ / ₄ " × 10"	9.734" × 10.012"
274	10" × 10 ¹ / ₄ "	9.984" × 10.262"
275	10 ¹ / ₂ " × 10 ³ / ₄ "	10.484" × 10.762"
276	11" × 11 ¹ / ₄ "	10.984" × 11.262"
277	11 ¹ / ₂ " × 11 ³ / ₄ "	11.484" × 11.762"
278	12" × 12 ¹ / ₄ "	11.984" × 12.262"
279	13" × 13 ¹ / ₄ "	12.984" × 13.262"
280	14" × 14 ¹ / ₄ "	13.984" × 14.262"
281	15" × 15 ¹ / ₄ "	14.984" × 15.262"
282	16" × 16 ¹ / ₄ "	15.955" × 16.233"
283	17" × 17 ¹ / ₄ "	16.955" × 17.233"
284	18" × 18 ¹ / ₄ "	17.955" × 18.233"
Width: 3/16" Fractional (0.210" Actual)		
309	7 ¹ / ₁₆ " × 13 ¹ / ₁₆ "	0.412" × 0.832"
310	1 ¹ / ₂ " × 7 ⁷ / ₈ "	0.475" × 0.895"
311	9 ¹ / ₁₆ " × 15 ¹ / ₁₆ "	0.537" × 0.957"
312	5 ⁷ / ₈ " × 1"	0.600" × 1.020"
313	11 ¹ / ₁₆ " × 11 ¹ / ₁₆ "	0.662" × 1.082"
314	3 ³ / ₄ " × 1 ¹ / ₈ "	0.725" × 1.145"
315	13 ¹ / ₁₆ " × 13 ¹ / ₁₆ "	0.787" × 1.207"
316	7 ⁷ / ₈ " × 1 ¹ / ₄ "	0.850" × 1.270"
317	15 ¹ / ₁₆ " × 15 ¹ / ₁₆ "	0.912" × 1.332"
318	1" × 1 ³ / ₈ "	0.975" × 1.395"
319	11 ¹ / ₁₆ " × 17 ¹ / ₁₆ "	1.037" × 1.457"

AS568A Dash No.	Fractional Size, ID×OD	Actual Size, ID×OD
Width: 3/16" Fractional (0.210" Actual) (Cont.)		
320	1 ¹ / ₈ " × 1 ¹ / ₂ "	1.100" × 1.520"
321	1 ³ / ₁₆ " × 1 ⁹ / ₁₆ "	1.162" × 1.582"
322	1 ¹ / ₄ " × 1 ⁵ / ₈ "	1.225" × 1.645"
323	1 ⁵ / ₁₆ " × 1 ¹¹ / ₁₆ "	1.287" × 1.707"
324	1 ³ / ₈ " × 1 ³ / ₄ "	1.350" × 1.770"
325	1 ¹ / ₂ " × 1 ⁷ / ₈ "	1.475" × 1.895"
326	1 ⁵ / ₈ " × 2"	1.600" × 2.020"
327	1 ³ / ₄ " × 2 ¹ / ₈ "	1.725" × 2.145"
328	1 ⁷ / ₈ " × 2 ¹ / ₄ "	1.850" × 2.270"
329	2" × 2 ³ / ₈ "	1.975" × 2.395"
330	2 ¹ / ₈ " × 2 ¹ / ₂ "	2.100" × 2.520"
331	2 ¹ / ₄ " × 2 ⁵ / ₈ "	2.225" × 2.645"
332	2 ³ / ₈ " × 2 ³ / ₄ "	2.350" × 2.770"
333	2 ¹ / ₂ " × 2 ⁷ / ₈ "	2.475" × 2.895"
334	2 ⁵ / ₈ " × 3"	2.600" × 3.020"
335	2 ³ / ₄ " × 3 ¹ / ₈ "	2.725" × 3.145"
336	2 ⁷ / ₈ " × 3 ¹ / ₄ "	2.850" × 3.270"
337	3" × 3 ³ / ₈ "	2.975" × 3.395"
338	3 ¹ / ₈ " × 3 ¹ / ₂ "	3.100" × 3.520"
339	3 ¹ / ₄ " × 3 ⁵ / ₈ "	3.225" × 3.645"
340	3 ³ / ₈ " × 3 ³ / ₄ "	3.350" × 3.770"
341	3 ¹ / ₂ " × 3 ⁷ / ₈ "	3.475" × 3.895"
342	3 ⁵ / ₈ " × 4"	3.600" × 4.020"
343	3 ³ / ₄ " × 4 ¹ / ₈ "	3.725" × 4.145"
344	3 ⁷ / ₈ " × 4 ¹ / ₄ "	3.850" × 4.270"
345	4" × 4 ³ / ₈ "	3.975" × 4.395"
346	4 ¹ / ₈ " × 4 ¹ / ₂ "	4.100" × 4.520"
347	4 ¹ / ₄ " × 4 ⁵ / ₈ "	4.225" × 4.645"
348	4 ³ / ₈ " × 4 ³ / ₄ "	4.350" × 4.770"
349	4 ¹ / ₂ " × 4 ⁷ / ₈ "	4.475" × 4.895"

AS568A Dash No. O-Ring Sizing Chart (Cont.)

AS568A Dash No.	Fractional Size, ID×OD	Actual Size, ID×OD
Width: 3/16" Fractional (0.210" Actual) (Cont.)		
350	4 ⁵ / ₈ " × 5"	4.600" × 5.020"
351	4 ³ / ₄ " × 5 ¹ / ₈ "	4.725" × 5.145"
352	4 ⁷ / ₈ " × 5 ¹ / ₄ "	4.850" × 5.270"
353	5" × 5 ³ / ₈ "	4.975" × 5.395"
354	5 ¹ / ₈ " × 5 ¹ / ₂ "	5.100" × 5.520"
355	5 ¹ / ₄ " × 5 ⁵ / ₈ "	5.225" × 5.645"
356	5 ³ / ₈ " × 5 ³ / ₄ "	5.350" × 5.770"
357	5 ¹ / ₂ " × 5 ⁷ / ₈ "	5.475" × 5.895"
358	5 ⁵ / ₈ " × 6"	5.600" × 6.020"
359	5 ³ / ₄ " × 6 ¹ / ₈ "	5.725" × 6.145"
360	5 ⁷ / ₈ " × 6 ¹ / ₄ "	5.850" × 6.270"
361	6" × 6 ³ / ₈ "	5.975" × 6.395"
362	6 ¹ / ₄ " × 6 ⁵ / ₈ "	6.225" × 6.645"
363	6 ¹ / ₂ " × 6 ⁷ / ₈ "	6.475" × 6.895"
364	6 ³ / ₄ " × 7 ¹ / ₈ "	6.725" × 7.145"
365	7" × 7 ³ / ₈ "	6.975" × 7.395"
366	7 ¹ / ₄ " × 7 ⁵ / ₈ "	7.225" × 7.645"
367	7 ¹ / ₂ " × 7 ⁷ / ₈ "	7.475" × 7.895"
368	7 ³ / ₄ " × 8 ¹ / ₈ "	7.725" × 8.145"
369	8" × 8 ³ / ₈ "	7.975" × 8.395"
370	8 ¹ / ₄ " × 8 ⁵ / ₈ "	8.225" × 8.645"
371	8 ¹ / ₂ " × 8 ⁷ / ₈ "	8.475" × 8.895"
372	8 ³ / ₄ " × 9 ¹ / ₈ "	8.725" × 9.145"
373	9" × 9 ³ / ₈ "	8.975" × 9.395"
374	9 ¹ / ₄ " × 9 ⁵ / ₈ "	9.225" × 9.645"
375	9 ¹ / ₂ " × 9 ⁷ / ₈ "	9.475" × 9.895"
376	9 ³ / ₄ " × 10 ¹ / ₈ "	9.725" × 10.145"
377	10" × 10 ³ / ₈ "	9.975" × 10.395"
378	10 ¹ / ₂ " × 10 ⁷ / ₈ "	10.475" × 10.895"
379	11" × 11 ³ / ₈ "	10.975" × 11.395"

AS568A Dash No.	Fractional Size, ID×OD	Actual Size, ID×OD
Width: 3/16" Fractional (0.210" Actual) (Cont.)		
380	11 ¹ / ₂ " × 11 ⁷ / ₈ "	11.475" × 11.895"
381	12" × 12 ³ / ₈ "	11.975" × 12.395"
382	13" × 13 ³ / ₈ "	12.975" × 13.395"
383	14" × 14 ³ / ₈ "	13.975" × 14.395"
384	15" × 15 ³ / ₈ "	14.975" × 15.395"
385	16" × 16 ³ / ₈ "	15.955" × 16.375"
386	17" × 17 ³ / ₈ "	16.955" × 17.375"
387	18" × 18 ³ / ₈ "	17.955" × 18.375"
388	19" × 19 ³ / ₈ "	18.955" × 19.375"
389	20" × 20 ³ / ₈ "	19.955" × 20.375"
390	21" × 21 ³ / ₈ "	20.955" × 21.375"
391	22" × 22 ³ / ₈ "	21.955" × 22.375"
392	23" × 23 ³ / ₈ "	22.940" × 23.360"
393	24" × 24 ³ / ₈ "	23.940" × 24.360"
394	25" × 25 ³ / ₈ "	24.940" × 25.360"
395	26" × 26 ³ / ₈ "	25.940" × 26.360"
Width: 1/4" Fractional (0.275" Actual)		
404	1 ⁷ / ₈ " × 2 ³ / ₈ "	1.850" × 2.400"
405	2" × 2 ¹ / ₂ "	1.975" × 2.525"
406	2 ¹ / ₈ " × 2 ⁵ / ₈ "	2.100" × 2.650"
407	2 ¹ / ₄ " × 2 ³ / ₄ "	2.225" × 2.775"
408	2 ³ / ₈ " × 2 ⁷ / ₈ "	2.350" × 2.900"
409	2 ¹ / ₂ " × 3"	2.475" × 3.025"
410	2 ⁵ / ₈ " × 3 ¹ / ₈ "	2.600" × 3.150"
411	2 ³ / ₄ " × 3 ¹ / ₄ "	2.725" × 3.275"
412	2 ⁷ / ₈ " × 3 ³ / ₈ "	2.850" × 3.400"
413	3" × 3 ¹ / ₂ "	2.975" × 3.525"
414	3 ¹ / ₈ " × 3 ⁵ / ₈ "	3.100" × 3.650"
415	3 ¹ / ₄ " × 3 ³ / ₄ "	3.225" × 3.775"
416	3 ³ / ₈ " × 3 ⁷ / ₈ "	3.350" × 3.900"

AS568A Dash No.	Fractional Size, ID×OD	Actual Size, ID×OD
Width: 1/4" Fractional (0.275" Actual) (Cont.)		
417	3 ¹ / ₂ " × 4"	3.475" × 4.025"
418	3 ⁵ / ₈ " × 4 ¹ / ₈ "	3.600" × 4.150"
419	3 ³ / ₄ " × 4 ¹ / ₄ "	3.725" × 4.275"
420	3 ⁷ / ₈ " × 4 ³ / ₈ "	3.850" × 4.400"
421	4" × 4 ¹ / ₂ "	3.975" × 4.525"
422	4 ¹ / ₈ " × 4 ⁵ / ₈ "	4.100" × 4.650"
423	4 ¹ / ₄ " × 4 ³ / ₄ "	4.225" × 4.775"
424	4 ³ / ₈ " × 4 ⁷ / ₈ "	4.350" × 4.900"
425	4 ¹ / ₂ " × 5"	4.475" × 5.025"
426	4 ⁵ / ₈ " × 5 ¹ / ₈ "	4.600" × 5.150"
427	4 ³ / ₄ " × 5 ¹ / ₄ "	4.725" × 5.275"
428	4 ⁷ / ₈ " × 5 ³ / ₈ "	4.850" × 5.400"
429	5" × 5 ¹ / ₂ "	4.975" × 5.525"
430	5 ¹ / ₈ " × 5 ⁵ / ₈ "	5.100" × 5.650"
431	5 ¹ / ₄ " × 5 ³ / ₄ "	5.225" × 5.775"
432	5 ³ / ₈ " × 5 ⁷ / ₈ "	5.350" × 5.900"
433	5 ¹ / ₂ " × 6"	5.475" × 6.025"
434	5 ⁵ / ₈ " × 6 ¹ / ₈ "	5.600" × 6.150"
435	5 ³ / ₄ " × 6 ¹ / ₄ "	5.725" × 6.275"
436	5 ⁷ / ₈ " × 6 ³ / ₈ "	5.850" × 6.400"
437	6" × 6 ¹ / ₂ "	5.975" × 6.525"
438	6 ¹ / ₄ " × 6 ³ / ₄ "	6.225" × 6.775"
439	6 ¹ / ₂ " × 7"	6.475" × 7.025"
440	6 ³ / ₄ " × 7 ¹ / ₄ "	6.725" × 7.275"
441	7" × 7 ¹ / ₂ "	6.975" × 7.525"
442	7 ¹ / ₄ " × 7 ³ / ₄ "	7.225" × 7.775"
443	7 ¹ / ₂ " × 8"	7.475" × 8.025"
444	7 ³ / ₄ " × 8 ¹ / ₄ "	7.725" × 8.275"
445	8" × 8 ¹ / ₂ "	7.975" × 8.525"
446	8 ¹ / ₂ " × 9"	8.475" × 9.025"

AS568A Dash No. O-Ring Sizing Chart (Cont.)

AS568A Dash No.	Fractional Size, ID×OD	Actual Size, ID×OD
Width: 1/4" Fractional (0.275" Actual) (Cont.)		
447	9" × 9 1/2"	8.975" × 9.525"
448	9 1/2" × 10"	9.475" × 10.025"
449	10" × 10 1/2"	9.975" × 10.525"
450	10 1/2" × 11"	10.475" × 11.025"
451	11" × 11 1/2"	10.975" × 11.525"
452	11 1/2" × 12"	11.475" × 12.025"
453	12" × 12 1/2"	11.975" × 12.525"
454	12 1/2" × 13"	12.475" × 13.025"
455	13" × 13 1/2"	12.975" × 13.525"
456	13 1/2" × 14"	13.475" × 14.025"
457	14" × 14 1/2"	13.975" × 14.525"
458	14 1/2" × 15"	14.475" × 15.025"
459	15" × 15 1/2"	14.975" × 15.525"
460	15 1/2" × 16"	15.475" × 16.025"
461	16" × 16 1/2"	15.955" × 16.505"
462	16 1/2" × 17"	16.455" × 17.005"
463	17" × 17 1/2"	16.955" × 17.505"
464	17 1/2" × 18"	17.455" × 18.005"
465	18" × 18 1/2"	17.955" × 18.505"
466	18 1/2" × 19"	18.455" × 19.005"
467	19" × 19 1/2"	18.955" × 19.505"
468	19 1/2" × 20"	19.455" × 20.005"
469	20" × 20 1/2"	19.955" × 20.505"
470	21" × 21 1/2"	20.955" × 21.505"
471	22" × 22 1/2"	21.955" × 22.505"
472	23" × 23 1/2"	22.940" × 23.490"
473	24" × 24 1/2"	23.940" × 24.490"
474	25" × 25 1/2"	24.940" × 25.490"
475	26" × 26 1/2"	25.940" × 26.490"

AS568A Dash No.	Fits Tube Size OD	Actual Size, ID×OD
For Straight Thread Tube Fittings		
0.056" Wide		
901	3/32"	0.185" × 0.297"
0.064" Wide		
902	1/8"	0.239" × 0.367"
903	3/16"	0.301" × 0.429"
0.072" Wide		
904	1/4"	0.351" × 0.495"
905	5/16"	0.414" × 0.558"
0.078" Wide		
906	3/8"	0.468" × 0.624"
0.082" Wide		
907	7/16"	0.530" × 0.694"
0.087" Wide		
908	1/2"	0.644" × 0.818"
0.097" Wide		
909	9/16"	0.706" × 0.900"
910	5/8"	0.755" × 0.949"
0.116" Wide		
911	1 1/16"	0.863" × 1.095"
912	3/4"	0.924" × 1.156"
913	13/16"	0.986" × 1.218"
914	7/8"	1.047" × 1.279"
916	1"	1.171" × 1.403"
918	1 1/8"	1.355" × 1.587"
0.118" Wide		
920	1 1/4"	1.475" × 1.711"
924	1 1/2"	1.720" × 1.956"
928	1 3/4"	2.090" × 2.326"
932	2"	2.337" × 2.573"